

Upholstery programme



WENDELBO



Fabrics /


6	Agata
8	Alma
10	Bosa
12	Cala
14	Coast
16	Comfort
18	Cuddle
20	Delphi
22	Glow
24	Jamie
26	Julie
28	Lava
30	Monta
32	Navona
34	North
36	Roco
38	Sasso
40	Senza
42	Silenzio
44	Soft
46	Spectrum
48	Tivoli
50	Zest

Leather /

54	Barona
56	Faith
58	Parma
60	Patrol
62	Treviso

Fabrics

From deep heavyweight bouclé to flat-weaved cotton fabrics, our own curated collection of textiles has been carefully edited to offer a wide range of textures, colours, and qualities that complement each other while elegantly accentuating the handcrafted details of our collection of upholstered pieces. From unicoloured staples down to intriguing tone-in-tone and speckled surfaces, the colour scheme of our collection is comprised of subtle and earthy, subdued hues finessed to fit in while standing out.



Agata

Price group 4

Composition	30% vi./16% wo./13% li./12% co./10% pa./9% pl./6% se./4% pc.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	30.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	3-4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5-6
Certificates	Global Recycled Standard	
Flammability	BS 5852 Crib 5	With treatment
	BS EN 1021-1 Cigarette	Confirmed
	BS EN 1021-2 Match	With treatment
	CAL TB 117	Confirmed
Maintenance	    	



Agata col. 02



Agata col. 04



Agata col. 06



Agata col. 08



Agata col. 10


Alma

Price group 3

Composition	37% pl./21% pc./19% vi./14% co./8% li./1% pa.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	40.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	3-4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5-6
Certificates	Global Recycled Standard	
Flammability	BS 5852 Crib 5	With treatment
	BS EN 1021-1 Cigarette	Confirmed
	BS EN 1021-2 Match	With treatment
	CAL TB 117	Confirmed
Maintenance	    	




Alma col. 08



Alma col. 02



Alma col. 04



Alma col. 06



Alma col. 08

Bosa

Price group 4

Composition	15% co./ 15% li./ 5% pa./ 40% pc./ 20% pl./ 5% vi.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	50.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	3-4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5
Certificates	OEKO-TEX®	
Flammability	BS 5852 Crib 5	Not confirmed
	BS EN 1021-1 Cigarette	Confirmed
	BS EN 1021-2 Match	Not confirmed
	CAL TB 117	Confirmed
Maintenance	    	



Bosa col. 08



Bosa col. 02



Bosa col. 04



Bosa col. 06



Bosa col. 08



Bosa col. 10




Bosa col. 12

Cala



Price group 2

Composition	80% co. / 20% pl.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	40.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5
Certificates	Global Recycled Standard, OEKO-TEX®	
Flammability	BS 5852 Crib 5	Not confirmed
	BS EN 1021-1 Cigarette	Confirmed
	BS EN 1021-2 Match	Not confirmed
	CAL TB 117	Confirmed
Maintenance		



Cala col. 02



Cala col. 02




Cala col. 06



Cala col. 08



Cala col. 12



Cala col. 14



Cala col. 16



Cala col. 18

Coast

Price group 4


Composition	20% co./25% pc./25 pl./30% visc.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	30.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Not confirmed Confirmed Not confirmed Confirmed
Maintenance	    	



Coast col. 06




Coast col. 02



Coast col. 04



Coast col. 06



Coast col. 08



Coast col. 10

Comfort




Price group 4


Composition	80% pl./20% co.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	100.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	5
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	3-5
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Not confirmed Confirmed Not confirmed Not confirmed
Maintenance		



Comfort col. 08



Comfort col. 02



Comfort col. 04




Comfort col. 06



Comfort col. 08



Comfort col. 12



Coast col. 14

Cuddle

Price group 5

Composition	34% vi./33% pc./17% wo./8% pl./4% li./4% co.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	80.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	5
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	4-5
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	With treatment Confirmed Confirmed Confirmed
Maintenance	    	




Cuddle col. 04



Cuddle col. 02



Cuddle col. 04



Cuddle col. 06



Cuddle col. 08



Cuddle col. 10



Cuddle col. 12



Cuddle col. 14



Cuddle col. 16

Delphi

Price group 1

Composition	47% co./47% visc./6% li.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	30.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	3
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Not confirmed Confirmed Confirmed Confirmed
Maintenance	    	



Delphi col. 02



Delphi col. 1



Delphi col. 2



Delphi col. 6



Delphi col. 9

Glow

Price group 1

Composition	100% PES	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	50.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	4-5
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	4-5
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Not confirmed Not confirmed Not confirmed Confirmed
Maintenance	 30° 	



Glow col. 02



Glow col. 04



Glow col. 06



Glow col. 08



Glow col. 10



Glow col. 12




Glow col. 14


Jamie

Price group 3


Composition	64% co./36% visc.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	30.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	4-5
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	4-5
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Not confirmed Not confirmed Confirmed Not confirmed
Maintenance	    	




Jamie col. 02




Jamie col. 04



Jamie col. 06



Jamie col. 08



Jamie col. 10


Julie

Price group 5


Composition	25% co./25% li./20% pl./30% wo.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	40.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	3-4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5
Certificates	OEKO-TEX®	
Flammability	BS 5852 Crib 5	Not confirmed
	BS EN 1021-1 Cigarette	Confirmed
	BS EN 1021-2 Match	Not confirmed
	CAL TB 117	Confirmed
Maintenance	    	



Julie col. 12



Julie col. 02



Julie col. 04



Julie col. 06



Julie col. 08



Julie col. 10



Julie col. 12

Lava

Price group 1

Composition	63% pol./37% co.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	30.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	4-5
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	3
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Not confirmed Not confirmed Not confirmed Confirmed
Maintenance	    	



Lava col. 02




Lava col. 01




Lava col. 02




Lava col. 04



Lava col. 05



Lava col. 06



Lava col. 08


Monta

Price group 4


Composition	30% pl./28% pc./21% vi./12% co./9% li.	
Width		140 cm -[55"]
Martindale/Abrasion	EN 12947-2	40.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5-6
Certificates	Global Recycled Standard	
Flammability	BS 5852 Crib 5	With treatment
	BS EN 1021-1 Cigarette	Confirmed
	BS EN 1021-2 Match	With treatment
	CAL TB 117	Confirmed
Maintenance	    	



Monta col. 06



Monta col. 02



Monta col. 04




Monta col. 06



Monta col. 08



Monta col. 10



Monta col. 12

Navona

Price group 4

Composition	32% pc./29% co./26% vi./10% li./3% pl.	
Width		140 cm -[55"]
Martindale/Abrasion	EN 12947-2	30.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	4-5
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Not confirmed Not confirmed Not confirmed Not confirmed
Maintenance	    	



Navona col. 06



Navona col. 02




Navona col. 04



Navona col. 06



Navona col. 08



Navona col. 10



Navona col. 12


North

Price group 2

Composition	70% wo./20% pl./5% pa./5% pc.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	60.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	3-5
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5
Certificates	Global Recycled Standard	
Flammability	BS 5852 Crib 5	With treatment
	BS EN 1021-1 Cigarette	Confirmed
	BS EN 1021-2 Match	Confirmed
	CAL TB 117	Confirmed
Maintenance	    	



North col. 04



North col. 02



North col. 04



North col. 06



North col. 08



North col. 10



North col. 12



North col. 14

Roco

Price group 3

Composition	32% co./48% pc./20% pl.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	40.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5
Certificates	OEKO-TEX®	
Flammability	BS 5852 Crib 5	Not confirmed
	BS EN 1021-1 Cigarette	Confirmed
	BS EN 1021-2 Match	Not confirmed
	CAL TB 117	Confirmed
Maintenance	    	



Roco col. 02



Roco col. 04



Roco col. 06



Roco col. 08



Roco col. 10



Roco col. 12



Roco col. 14



Roco col. 16



Roco col. 18



Roco col. 20



Roco col. 22



Roco col. 24


Sasso

Price group 3

Composition	55% visc./32% pl./15% lin./13% co./4% pc.	
Width		140 cm -[55"]
Martindale/Abrasion	EN 12947-2	25.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	2-3
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	3-5
Certificates	Global Recycled Standard	
Flammability	BS 5852 Crib 5	Not confirmed
	BS EN 1021-1 Cigarette	Confirmed
	BS EN 1021-2 Match	Confirmed
	CAL TB 117	Not confirmed
Maintenance	    	



Sasso col. 10



Sasso col. 02



Sasso col. 04



Sasso col. 06



Sasso col. 10


Senza

Price group 4

Composition	100% co.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	70.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	2
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	3-5
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Not confirmed Confirmed Not confirmed Confirmed
Maintenance	    	



Senza col. 02



Senza col. 02




Senza col. 04



Senza col. 06




Senza col. 08



Senza col. 10



Senza col. 12



Senza col. 14



Senza col. 16



Senza col. 18

Silenzio

Price group 5


Composition	5% co./15% li./30% wo./25% pc./20% pl./5% vi.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	30.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5
Certificates	OEKO-TEX®	
Flammability	BS 5852 Crib 5	Not confirmed
	BS EN 1021-1 Cigarette	Confirmed
	BS EN 1021-2 Match	Not confirmed
	CAL TB 117	Confirmed
Maintenance	    	



Silenzio col. 02



Silenzio col. 04



Silenzio col. 06



Silenzio col. 08

Soft

Price group 2

Composition	47% pol./43% ac./10% co.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	50.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	3-4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Not confirmed Confirmed Confirmed Confirmed
Maintenance	    	




Soft col. 02



Soft col. 02



Soft col. 03



Soft col. 04



Soft col. 06



Soft col. 08



Soft col. 10



Soft col. 12



Soft col. 14

Spectrum

Price group 4

Composition	72% PC/14% VI/9% WO/5%PL	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	30.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	4-5
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Not confirmed Confirmed Confirmed Confirmed
Maintenance	    	



Spectrum col. 02




Spectrum col. 02



Spectrum col. 04



Spectrum col. 06




Spectrum col. 08



Spectrum col. 10



Spectrum col. 12



Spectrum col. 14


Tivoli

Price group 3

Composition	42% vi./38% co./14% pc./6% pes.	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	30.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	3-4
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5
Certificates		
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	With treatment Confirmed Confirmed Confirmed
Maintenance	    	




Tivoli col. 04



Tivoli col. 02




Tivoli col. 04



Tivoli col. 06




Tivoli col. 08



Tivoli col. 10



Tivoli col. 12



Tivoli col. 14

Zest

Price group 3

Composition	100 PC	
Width	140 cm -[55"]	
Martindale/Abrasion	EN 12947-2	100.000
Pilling	Scale 1-5, max. 5 EN ISO 12945-2	5
Light Fastness	Scale 1-8, max. 8 EN ISO 105-B02	5
Certificates		
Flammability	BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Confirmed Confirmed Confirmed
Maintenance	    	



Zest col. 02



Zest col. 04



Zest col. 06



Zest col. 08



Zest col. 10



Zest col. 12



Zest col. 14

Leather

From the finest full-grain aniline to highly durable semi-aniline and corrected grains, all leathers in our curated collection are made from premium European rawhides. Earthy, subdued hues and timeless colourways form a harmonious colour scheme – carefully selected and defined to complement our upholstered designs. Our leather collection consists of three qualities: corrected leather, semi-aniline and aniline.




Barona

Price group 10

Quality		Protected leather Corrected grain
Thickness		0,9 - 1,1 mm
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Confirmed Confirmed Confirmed Confirmed
Maintenance		Clean with damp cloth



Barona col. Sable



Barona col. Black



Barona col. Grey



Barona col. Ivory



Barona col. Sable



Barona col. Sandal wood

Faith

Price group 10

Quality		Aniline leather Full grain
Thickness		1,3 - 1,5 mm
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Confirmed Confirmed Confirmed Confirmed
Maintenance		Clean with damp cloth



Faith col. Whiskey



Faith col. Brown



Faith col. Black



Faith col. Cognac



Faith col. Whiskey

Parma

Price group 10

Quality		Aniline leather Full grain
Thickness		0,9 - 1,1 mm
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Confirmed Confirmed Confirmed Confirmed
Maintenance		Clean with damp cloth



Parma col. Macchiato



Parma col. Cognac



Parma col. Marrone



Parma col. Mocca



Parma col. Graphite



Parma col. Black

Patrol

Price group 9


Quality	Semi-aniline leather Corrected grain	
Thickness	1,2 - 1,4 mm	
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Confirmed Confirmed Confirmed Confirmed
Maintenance	Clean with damp cloth	



Patrol col. Cognac



Patrol col. Brown



Patrol col. Black



Patrol col. Cognac

Treviso

Price group 11

Quality		Aniline leather Full grain
Thickness		1,0 - 1,2 mm
Flammability	BS 5852 Crib 5 BS EN 1021-1 Cigarette BS EN 1021-2 Match CAL TB 117	Confirmed Confirmed Confirmed Confirmed
Maintenance		Clean with damp cloth



Treviso col. Dark Brown



Treviso col. Black



Treviso col. Dark Brown



Treviso col. Cuio

Price groups

	1	2	3	4	5	6	7	8	9	10	11
Agata				X							
Alma			X								
Bosa				X							
Cala		X									
Coast				X							
Comfort				X							
Cuddle					X						
Delphi	X										
Glow	X										
Jamie			X								
Julie					X						
Lava	X										
Monta				X							
Navona				X							
North		X									
Roco			X								
Sasso			X								
Senza				X							
Silenzio					X						
Soft		X									
Spectrum				X							
Tivoli			X								
Zest			X								
Barona										X	
Faith										X	
Parma										X	
Patrol									X		
Treviso											X



Alma col. 02